

WEST Search History

DATE: Tuesday, September 10, 2002

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>			
L28	L26 and (ion channel)	11	L28
L27	L26 same (ion channel)	2	L27
L26	L25 same perforat\$	6424	L26
L25	substrate	963621	L25
L24	L22 and l11	7	L24
L23	L22 and l10	4	L23
L22	chinese hamster ovary	7195	L22
L21	L20 and (substrate near glass)	2	L21
L20	L18 and (cell membrane)	226	L20
L19	L18 and (resistance measurement)	7	L19
L18	trans-epithelial or transepithelial	496	L18
L17	L16 and (substrate near glass)	5	L17
L16	L6 and (cell layer)	136	L16
L15	L9 and (substrate near glass)	0	L15
L14	L5 and (substrate near glass)	1	L14
L13	L5 and substrate	55	L13
L12	L9 and substrate	46	L12
L11	L5 and glass	68	L11
L10	L9 and glass	44	L10
L9	L8 not @PY>1998	79	L9
L8	L7 and (voltage clamp)	378	L8
L7	L6 and cell membrane	1841	L7
L6	ion channel	4295	L6
L5	L4 not @PY>1998	124	L5
L4	L3 and cell	514	L4
L3	L2 and (voltage clamp)	515	L3
L2	L1 and (ion channel)	3127	L2
L1	membrane	279671	L1

END OF SEARCH HISTORY